Contents of volume 340

No. 1 published on July 17, 1989

S. Okuyama, H. Aihara: Effect of minaprine on electrical activity of the rat hippocampus in vivo **1**

S. B. Ross, D. M. Jackson: Kinetic properties of the accumulation of ^{3}H-raclopride in the mouse brain in vivo **6**

S. B. Ross, D. M. Jackson: Kinetic properties of the in vivo accumulation of ^{3}H-(−)-N-n-propylnorapomorphine in mouse brain **13**

S. Matsumoto, K. Yamada, M. Nagashima, M. Domae, K. Shirakawa, T. Furukawa: Occurrence of yawning and decrease of prolactin levels via stimulation of dopamine D_2-receptors after administration of SND 919 in rats **21**

K. Yamada, S. Matsumoto, M. Nagashima, M. Kumagai, H. Kimura, T. Furukawa: Involvement of central β-adrenoceptors in the regulation of yawning responses **26**

E. Badoer, H. Würth, D. Türck, F. Qadri, K. Itoi, P. Dominiak, Th. Unger: Selective local action of angiotensin II on dopaminergic neurons in the rat hypothalamus in vivo **31**

H. Herdon, S. R. Nahorski: Investigations of the roles of dihydropyridine and ω-conotoxin-sensitive calcium channels in mediating depolarisation-evoked endogenous dopamine release from striatal slices **36**

P. Rocca, A.-M. Galzin, S. Z. Langer: Light-dark differences in [^{3}H]-paroxetine binding to rabbit platelet membranes **41**

E. Schlicker, K. Fink, M. Göthert, D. Hoyer, G. Molderings, I. Roschke, P. Schoeffter: The pharmacological properties of the presynaptic serotonin autoreceptor in the pig brain cortex conform to the 5-HT_{1D} receptor subtype **45**

N. Limberger, M. R. G. Fischer, T. Wichmann, K. Starke: Phentolamine blocks presynaptic serotonin autoreceptors in rabbit and rat brain cortex **52**

A. D. Michel, R. Delmendo, E. Stefanich, R. L. Whiting: Binding characteristics of the muscarinic receptor subtype of the NG108-15 cell line **62**

W. Kromer, E. Baron, M. Beinborn, M. Eltze, W. A. Simon: Stimulation by McN-A-343 and blockade by telenzepine of acid secretion in the mouse isolated stomach at histamine-liberating cells **68**

G. D'Agostino, M. C. Chiari, E. Grana: Prejunctional effects of muscarinic agonists on ^{3}H-acetylcholine release in the rat urinary bladder strip **76**

C. G. Caratsch, F. Knoflach, F. Grassi, F. Eusebi: Regulation of acetylcholine receptor function by the phorbol ester TPA in rat skeletal muscle **82**

M. Ströher, C. Nanoff, W. Schütz: Differences in the GTP-regulation of membrane-bound and solubilized A_1-adenosine receptors **87**

V. Santucci, M. Fournier, P. Worms, P. Keane, K. Bizière: Cerebral-activating (EEG) properties of two inverse agonists and of an antagonist at the benzodiazepine receptor in the rat **93**

R. Seifert, R. Burde, G. Schultz: Lack of effect of opioid peptides, morphine and naloxone on superoxide formation in human neutrophils and HL-60 leukemic cells **101**

E. Tschirhart, P. Schmitt, C. Bertrand, M. Mayer, S. Magneney, Y. Landry, R. Michelot: Contractile activity of the N-acylated C-terminal part of substance P_{7-11} in guinea pig trachea. Effect of epithelium removal **107**

F. P. Nijkamp, G. Folkerts, J. R. Beetens, F. De Clerck: Suppression of PAF-induced bronchoconstriction in the guinea-pig by oxatomide: mechanism of action **111**

A. Mülsch, A. Lückhoff, U. Pohl, R. Busse, E. Bassenge: LY 83583 (6-anilino-5,8-quinolinedione) blocks nitrovasodilator-induced cyclic GMP increases and inhibition of platelet activation **119**

J. G. Hugtenburg, M.-J. Mathy, R. D. Veldsema-Currie, H. W. G. M. Boddeke, J. J. Beckeringh, P. A. van Zwieten: A comparison of the cardioprotective effects of calcium antagonists from different classes upon ischaemic damage in the guinea-pig working heart **126**

Short communication

P. Schoeffter, D. Hoyer: How selective is GR 43175? Interactions with functional 5-HT_{1A}, 5-HT_{1B}, 5-HT_{1C} and 5-HT_{1D} receptors **135**

No. 2 published on August 18, 1989

M. Borton, J. R. Docherty: The effects of ageing on neuronal uptake of noradrenaline in the rat **139**

V. I. Tarizzo, C. Dahlöf: Adrenaline-induced enhancement of the blood pressure response to sympathetic nerve stimulation in adrenal demedullated pithed rats **144**

W. Nörenberg, P. Illes: Presynaptic dopamine DA_2-receptors in rabbit jejunal arteries. An electrophysiological study **151**

N. Waters, G. Pettersson, A. Carlsson, K. Svensson: The putatively antipsychotic agent amperozide produces behavioural stimulation in the rat. A behavioural and biochemical characterization **161**

L. Jacques, R. Couture, G. Drapeau, D. Regoli: Capillary permeability induced by intravenous neurokinins. Receptor characterization and mechanism of action **170**

A. Franco-Cereceda: Prostaglandins and CGRP release from cardiac sensory nerves **180**

C. J. Wiedermann, F. J. Wiedermann, A. Apperl, G. Kieselbach, G. Konwalinka, H. Braunsteiner: In vitro human polymorphonuclear leukocyte chemokinesis and human monocyte chemotaxis are different activities of aminoterminal and carboxyterminal substance P **185**

W. M. Fu, S. Y. Day, S. Y. Lin-Shiau: Studies on cadmium-induced myotonia in the mouse diaphragm **191**

Y. Hattori, M. Endou, M. Shirota, M. Kanno: Dissociation of phosphoinositide hydrolysis and positive inotropic effect of histamine mediated by H_1-receptors in guinea-pig left atria **196**

H. von der Leyen, W. Schmitz, H. Scholz, J. Scholz, M. J. Lohse, U. Schwabe: Effects of 1,3-dipropyl-8-cyclopentylxanthine (DPCPX), a highly selective adenosine receptor antagonist, on force of contraction in guinea-pig atrial and ventricular cardiac preparations **204**

M. Kohlhardt, H. Fichtner, J. W. Herzig: The response of single cardiac sodium channels in neonatal rats to the dihydropyridines CGP 28392 and (−)-Bay K 8644 **210**

Y. Kurachi, Y. Asano, R. Takikawa, T. Sugimoto: Cardiac Ca current does not run down and is very sensitive to isoprenaline in the nystatin-method of whole cell recording **219**

K. Sakai, K. Ichihara, H. Ohmi, Y. Abiko: A possible involvement of oxygen free radicals in the development of myocardial acidosis during coronary occlusion in dogs **223**

E. C. Monteiro, J. A. Ribeiro: Adenosine deaminase and adenosine uptake inhibitions facilitate ventilation in rats **230**

M. H. de Vries, G. A. Hofman, A. Sj. Koster, J. Noordhoek: Absorption and presystemic glucuronidation of 1-naphthol in the vascularly fluorocarbon emulsion perfused rat small intestine. The influence of 1-naphthol concentration, perfusate flow and noradrenaline **239**

M.-J. Musso, M. Barthelmebs, J.-.L Imbs, M. Plante, C. Bollack, J.-J. Helwig: The vasodilator action of parathyroid hormone fragments on isolated perfused rat kidney **246**

E. Müller-Schweinitzer: Interaction of cyclosporine-A with the renin-angiotensin system in canine veins **252**

Erratum

S. Liebau, J. Hohlfeld, U. Förstermann: The inhibition of α_1-adrenoceptor-mediated contractions of rabbit pulmonary artery by Ca^{2+}-withdrawal, pertussis toxin and N-ethylmaleimide is dependent on agonist intrinsic efficacy **258**

C. R. Cain, C. D. Nicholson: Comparison of the effects of cromakalim, a potassium conductance enhancer, and nimodipine, a calcium antagonist, on 5-hydroxytryptamine responses in a variety of vascular smooth muscle preparations **293**

G. J. Molderings, G. Engel, E. Roth, M. Göthert: Characterization of an endothelial 5-hydroxytryptamine (5-HT) receptor mediating relaxation of the porcine coronary artery **300**

S. I. Shimuta, C. R. Nakaie, A. C. M. Paiva, P. Cordopatis, D. Theodoropoulos: Changes in residues 1 and 4 of angiotensin II affect differently its agonist and tachyphylactic properties **309**

M. Wahl, L. Schilling, E. T. Whalley: Cerebrovascular effects of prostanoids. In-situ studies in pial arteries of the cat **314**

A. Schulz, A. Hasselblatt: An insulin-releasing property of imidazoline derivatives is not limited to compounds that block α-adrenoceptors **321**

B. J. Zünkler, G. Trube, U. Panten: How do sulfonylureas approach their receptor in the B-cell plasma membrane? **328**

H. M. Piper, B. C. Millar, B. J. McDermott: The negative inotropic effect of neuropeptide Y on the ventricular cardiomyocate **333**

Q. Timour, J.-F. Aupetit, J. Loufoua-Moundanga, L. Bertrix, M. Freysz, G. Faucon: Ventricular and atrial electrophysiological effects of a IC antiarrhythmic drug, cibenzoline, in the innervated dog heart. Role of sodium and calcium channels **338**

S. Mauss, G. Koch, V. A. W. Kreye, K. Aktories: Inhibition of the contraction of the isolated longitudinal muscle of the guinea-pig ileum by botulinum C2 toxin: Evidence for a role of G/F-actin transition in smooth muscle contraction **345**

J. Donnerer: Evidence for an excitatory action of the benzodiazepine receptor inverse agonist FG 7142 on C-fibre afferents **352**

No. 3 published on September 29, 1989

K. Kolasa, E. Palazzi, P. Salmoiraghi, G. Guiso, S. Caccia, S. Garattini, S. Consolo: Mode of action of tiaspirone on the central cholinergic system **259**

T. Kurz, A. Schömig: Extracellular sodium and chloride depletion enhances nonexocytotic noradrenaline release induced by energy deficiency in rat heart **265**

O. A. Nedergaard: Inhibition of ^{3}H-noradrenaline accumulation by dopexamine hydrochloride in the isolated aorta of the rabbit **270**

M. G. Kazanietz, M. A. Enero: Modulation of noradrenaline release by presynaptic alpha-2 and beta adrenoceptors in rat atria. Effect of pretreatment with clenbuterol **274**

A. D. Michel, R. L. Whiting: Radioligand binding characteristics of the chicken cardiac muscarinic receptor **279**

P. Schoeffter, D. Hoyer: 5-Hydroxytryptamine 5-HT_{1B} and 5-HT_{1D} receptors mediating inhibition of adenylate cyclase activity. Pharmacological comparison with special reference to the effects of yohimbine, rauwolscine and some β-adrenoceptor antagonists **285**

No. 4 published on October 19, 1989

D. M. Jackson, S. B. Ross, L. -G. Larsson: Dopamine D-2 receptor agonist-induced behavioural depression: critical dependence upon postsynaptic dopamine D-1 function. A behavioural and biochemical study **355**

T. Van Nguyen, A. V. Juorio: Down-regulation of tryptamine binding sites following chronic molindone administration. A comparison with responses of dopamine and 5-hydroxytryptamine receptors **366**

P. C. Waldmeier, P. Wicki, J.-J. Feldtrauer, P. A. Baumann: Release of endogenous GABA from the substantia nigra is not controlled by GABA autoreceptors **372**

J. Pernow, J. M. Lundberg: Modulation of noradrenaline and neuropeptide Y (NPY) release in the pig kidney in vivo: involvement of alpha$_2$, NPY and angiotensin II receptors **379**

R. Ramdine, A.-M. Galzin, S. Z. Langer: Involvement of adenylate cyclase and protein kinase C in the α_2-adrenoceptor-mediated inhibition of noradrenaline and 5-hydroxytryptamine release in rat hypothalamic slices **386**

D. Hoyer, C. Waeber, A. Karpf, H. Neijt, J. M. Palacios: [^{3}H]ICS 205-930 labels 5-HT_3 recognition sites in membranes of cat and rabbit vagus nerve and superior cervical ganglion **396**

A. Dumuis, M. Sebben, J. Bockaert: The gastrointestinal prokinetic benzamide derivatives are agonists at the non-classical 5-HT receptor (5-HT_4) positively coupled to adenylate cyclase in neurons **403**

P. Worms, J.-P. Kan, R. Steinberg, J. -P. Terranova, A. Perio, K. Biziere: Cholinomimetic activities of minaprine **411**

C. A. Maggi, S. Giuliani, P. Santicioli, S. Selleri, A. Meli: The motor response to ethylenediamine of the rat isolated duodenum: Involvement of GABAergic transmission? **419**

A. K. Mir, H. Berthold, G. E. Scholtysik, J. R. Fozard: Cardiovascular effects of endothelin 1 in pithed spontaneously hypertensive rats: evaluation of its mechanism(s) of action **424**

I. Ikegaki, Y. Suzuki, S.-I. Satoh, T. Asano, M. Shibuya, K. Sugita: Effects of calcitonin gene-related peptide on canine cerebral artery strips and the in-vivo vertebral blood flow in dogs **431**

S. Usune, T. Katsuragi, T. Furukawa: Two phases of the prostaglandin $F_{2\alpha}$-induced contraction in guinea-pig taenia coli involve different Ca^{2+} channels **437**

N. Morel, T. Godfraind: Pharmacological properties of voltage-dependent calcium channels in functional microvessels isolated from rat brain **442**

M. C. C. de Hurtado, O. A. Gende, H. E. Cingolani: Positive chronotropic effect of Bay K 8644: participation of endogenous norepinephrine **452**

J. Weirich, H. Antoni: Modelling frequency- and voltage-dependent effects of a class I antiarrhythmic drug (nicainoprol) on V_{max} of the cardiac action potential from guinea-pig papillary muscle **456**

C. Alzheimer, B. Sutor, G. ten Bruggencate: Effects of cromakalim (BRL 34915) on potassium conductances in CA3 neurons of the guinea-pig hippocampus in vitro **465**

Short communications

C. Allgaier, T. Jäger, G. Hertting: Endogenous noradrenaline impairs the prostaglandin-induced inhibition of noradrenaline release **472**

H. Schröder, K. Schrör: Cyclic GMP stimulation by vasopressin in LLC-PK_1 kidney epithelial cells is L-arginine-dependent **475**

No. 5 published on November 13, 1989

C. Waeber, P. Schoeffter, J. M. Palacios, D. Hoyer: 5-HT_{1D} receptors in guinea-pig and pigeon brain. Radioligand binding and biochemical studies **479**

C. Waeber, M. M. Dietl, D. Hoyer, J. M. Palacios: 5-HT_1 receptors in the vertebrate brain. Regional distribution examined by autoradiography **486**

E. Schömig, J. Michael-Hepp, C.-L. Schönfeld: Inhibition of neuronal noradrenaline transport (uptake$_1$) and desipramine binding by amiloride and ethylisopropylamiloride **495**

E. Schömig, P. Fischer, C.-L. Schönfeld, U. Trendelenburg: The extent of neuronal re-uptake of ^{3}H-noradrenaline in isolated vasa deferentia and atria of the rat **502**

M. Haass, M. Hock, G. Richardt, A. Schömig: Neuropeptide Y differentiates between exocytotic and nonexocytotic noradrenaline release in guinea-pig heart **509**

M. Göthert, K. Fink: Inhibition of N-methyl-D-aspartate (NMDA)- and L-glutamate-induced noradrenaline and acetylcholine release in the rat brain by ethanol **516**

I. von Kügelgen, E. Schöffel, K. Starke: Inhibition by nucleotides acting at presynaptic P_2-receptors of sympathetic neuro-effector transmission in the mouse isolated vas deferens **522**

K. L. Clark, G. M. Drew, A. Hilditch: Potentiation of the effects of dopamine in the rabbit isolated splenic artery by 3-isobutyl-1-methylxanthine or forskolin **533**

C. A. Maggi, S. Giuliani, A. Meli: Effect of ruthenium red on responses mediated by activation of capsaicin-sensitive nerves of the rat urinary bladder **541**

R. Couture, O. Laneuville, C. Guimond, G. Drapeau, D. Regoli: Characterization of the peripheral action of neurokinins and neurokinin receptor selective agonists on the rat cardiovascular system **547**

J. G. Hugtenburg, M.-J. Mathy, J. J. Beckeringh, P. A. van Zwieten: The differential effect of calcium antagonists on the positive inotropic effects induced by calcium and monensin in cardiac preparations of rats and guinea-pigs **558**

J. G. Hugtenburg, M.-J. Mathy, H. W. G. M. Boddeke, J. J. Beckeringh, P. A. van Zwieten: Differences between negative inotropic and vasodilator effects of calcium antagonists acting on extra- and intracellular calcium movements in rat and guinea-pig cardiac preparations **567**

M. M. Salazar-Bookaman, J. Fowble, P. Weber, P. N. Patil: Investigation by NMR spectroscopy of the interaction between synthetic soluble (−)-dopa melanin and drugs **576**

M. H. de Vries, G. A. Hofman, A. Sj. Koster, J. Noordhoek: Absorption and presystemic glucuronidation of 1-naphthol in the vasculary fluorocarbon emulsion perfused rat small intestine: the influence of the luminal flow rate and intraluminal binding **583**

M. H. de Vries, F. A. M. Redegeld, A. Sj. Koster, J. Noordhoek, J. G. de Haan, R. P. J. Oude Elferink, P. L. M. Jansen: Hepatic, intestinal and renal transport of 1-naphthol-β-D-glucuronide in mutant rats with hereditary-conjugated hyperbilirubinemia **588**

Short communication

D. Marazziti, M. F. Falcone, A. Rotondo, P. Castrogiovanni: Age-related differences in human platelet 5-HT uptake **593**

Erratum

K. Fink, M. Göthert, G. Molderings, E. Schlicker: N-Methyl-D-aspartate (NMDA) receptor-mediated stimulation of noradrenaline release, but not release of other neurotransmitters, in the rat brain cortex: receptor location, characterization and desensitization (339:514–521) **595**

No. 6(I) published on December 18, 1989

H. Fuder, J. Schöpf, J. Unckell, M. Th. Wesner, C. Melchiorre, R. Tacke, E. Mutschler, G. Lambrecht: Different muscarine receptors mediate the prejunctional inhibition of [^{3}H]-noradrenaline release in rat or guinea-pig iris and the contraction of the rabbit iris sphincter muscle **597**

A. Wada, M. Arita, H. Takara, K. Sumikawa, Y. Uezono, F. Izumi: Inhibition by vecuronium of carbachol-induced influx of $^{22}Na^+$, $^{45}Ca^{2+}$ and secretion of catecholamines in cultured bovine adrenal medullary cells **605**

D. B. McKay: [^{3}H]Noradrenaline accumulation in cultured bovine adrenal medullary cells: modulation of accumulation by nicotine **610**

T. A. Reader, L. Grondin, B. Montreuil, K. M. Dewar: Dopamine D_1 receptors labelled with [^{3}H]SCH23390 in rabbit cerebral cortex and neostriatum. Equilibrium binding, kinetics and selectivity **617**

I. Zimányi, A. Lajtha, M. E. A. Reith: Comparison of characteristics of dopamine uptake and mazindol binding in mouse striatum **626**

E. Schlicker, K. Fink, M. Hinterthaner, M. Göthert: Inhibition of noradrenaline release in the rat brain cortex via presynaptic H_3 receptors **633**

N. Limberger, A. Mayer, G. Zier, B. Valenta, K. Starke, E. A. Singer: Estimation of pA_2 values at presynaptic α_2-autoreceptors in rabbit and rat brain cortex in the absence of autoinhibition **639**

B. Szabo, L. Hedler, K. Starke: Peripheral presynaptic and central effects of clonidine, yohimbine and rauwolscine on the sympathetic nervous system in rabbits **648**

S. Foucart, H. Majewski: Inhibition of noradrenaline release by neuropeptide Y in mouse atria does not involve inhibition of adenylate cyclase or a pertussis toxin-susceptible G protein **658**

M. Raiteri, G. Pellegrini, C. Cantoni, G. Bonanno: A novel type of GABA receptor in rat spinal cord? **666**

R. Burde, R. Seifert, A. Buschauer, G. Schultz: Histamine inhibits activation of human neutrophils and HL-60 leukemic cells via H_2-receptors **671**

K.-N. Klotz, M. J. Lohse, U. Schwabe, G. Cristalli, S. Vittori, M. Grifantini: 2-Chloro-N^6-[^{3}H]cyclopentyladenosine ([^{3}H]CCPA) – a high affinity agonist radioligand for A_1 adenosine receptors **679**

H. Tawfik-Schlieper, K.-N. Klotz, V. A. W. Kreye, U. Schwabe: Characterization of the K^+-channel-coupled adenosine receptor in guinea pig atria **684**

J. Neumann, W. Schmitz, H. Scholz, B. Stein: Effects of adenosine analogues on contractile response and cAMP content in guinea-pig isolated ventricular myocytes **689**

F. Berger, U. Borchard, D. Hafner: Effects of (+)- and (±)-sotalol on repolarizing outward currents and pacemaker current in sheep cardiac Purkinje fibres **696**

I. Rubinstein, O. Binah: Thyroid hormone modulates membrane currents in guinea-pig ventricular myocytes **705**

Short communication

A. Schulz, A. Hasselblatt: Dual action of clonidine on insulin release: suppression, but stimulation when α_2-adrenoceptors are blocked **712**

No. 6(II) published on December 29, 1989

A. Kvanta, C. Nordstedt, M. Jondal, B. B. Fredholm: Activation of protein kinase C via the T-cell receptor complex potentiates cyclic AMP responses in T-cells **715**

W. Kropf, K. Kuschinsky, J. Krieglstein: Apomorphine-induced alterations in cortical EEG activity of rats. Involvement of D-1 and D-2 dopamine receptors **718**

T. Halbrügge, R. Wölfel, K.-H. Graefe: Plasma 3,4-dihydroxyphenylglycol as a tool to assess the role of neuronal uptake in the anaesthetized rabbit **726**

L. M. A. Sassen, L. K. Soei, T. J. M. Heere, L. J. van Woerkens, P. R. Saxena, P. D. Verdouw: Nicorandil and cardiovascular performance in anaesthetized pigs with a concentric coronary artery stenosis **733**

J. Donnerer, R. Schuligoi, F. Lembeck: Influence of Capsaicin-induced denervation on neurogenic and humoral control of arterial pressure **740**

F. Lembeck, M. Decrinis, C. Pertl, R. Amann, J. Donnerer: Effects of endothelin on the cardiovascular system and on smooth muscle preparations in different species **744**

A. Grassegger, J. Striessnig, M. Weiler, H.-G. Knaus, H. Glossmann: [^{3}H]HOE166 defines a novel calcium antagonist drug receptor – distinct from the 1,4 dihydropyridine binding domain **752**

Short communications

I. von Kügelgen, R. Bültmann, K. Starke: Effects of suramin and α,β-methylene ATP indicate noradrenaline-ATP co-transmission in the response of the mouse vas deferens to single and low frequency pulses **760**

A. Klausmair, A. Philippu: Carotid occlusion increases the release of endogenous GABA in the nucleus of the solitary tract **764**

A. Mülsch, E. Bassenge, R. Busse: Nitric oxide synthesis in endothelial cytosol: Evidence for a calcium-dependent and a calcium-independent mechanism **767**

U. Förstermann, K. Ishii, L. D. Gorsky, F. Murad: The cytosol of N1E-115 neuroblastoma cells synthesizes an EDRF-like substance that relaxes rabbit aorta **771**

Acknowledgement to referees 775

10-volume-index 777–820

Indexed in *Current Contents*